

# T estpassport問題集



---

更に上のクオリティ      更に上のサービス

一年で無料進級することに提供する  
[Http://www.testpassport.jp](http://www.testpassport.jp)

**Exam** . **000-966**

**Title** . XIV Storage System  
Technical Solutions Version  
2

**Version** . DEMO

1.Using the XCLI, which qualifiers are required to create a thin provisioned pool?

- A.pool, hard size, soft size, snapshot size
- B.pool, hard size, soft size, read block behavior
- C.pool, resize allowed, maximum volumes, maximum snapshots
- D.pool, read block behavior, maximum volumes, maximum snapshots

Answer:A

2.To improve system redundancy using its grid architecture, where in the XIV System can a partition be mirrored?

- A.on disks in other modules
- B.on same disk in different modules
- C.on different disks in the same module
- D.on same disk, in same module, and in different modules

Answer:A

3.Which two solutions, once installed and configured, can be used to move workloads without disruption?

(Choose two)

- A.XIV partitions
- B.XIV Data Mover (XDM)
- C.SAN Volume Controller
- D.XIV Data Migration Function
- E.Tivoli Storage Productivity Center for Replication V4

Answer:C D

4.When defining a volume on a thin-provisioned pool on an XIV System, the size of the volume is limited by

- A.the hard capacity of the volume
- B.the 2 TB maximum volume size on XIV
- C.the hard capacity of the storage pool
- D.the soft capacity of the storage pool

Answer:D

5.On the XIV System, what is the approximate rebuild time for a 1 TB drive that is 50% utilized?

- A.5 minutes
- B.15 minutes
- C.30 minutes
- D.120 minutes

Answer:B

6.A customer has ordered a 10 module XIV System. How many interface modules are active in this configuration?

- A.3
- B.4
- C.5

D.6

Answer:B

7.When using the SAN Volume Controller (SVC) as a host for a full 15 module XIV Storage System, how many ports are recommended to be connected to the SVC?

A.8

B.12

C.16

D.24

Answer:B

8.What helps ensure that the XIV System's cache does NOT become a bottleneck?

A.central cache locking mechanism

B.use of industry standard chip technology

C.each module is responsible for caching the data in that module

D.having all modules understand what is held in cache at all times

Answer:C

9.What is a requirement to connect a V6R1 IBM i host to an XIV Storage System?

A.XIV firmware V10.0.8

B.Host Attachment Kit V1.0.1

C.SAN Volume Controller (SVC) V4.2

D.Virtual I/O Server (VIOS) V2.1.1

Answer:D

10.What are benefits of the XIV Storage System's distribution compared to traditional mid-level striping distributions?

A.no orphan space and optimal distribution over time

B.no orphan space and optimal distribution at time of creation

C.minimal performance tuning and automatic capacity allocation

D.consistent distribution and regular performance tuning required

Answer:A

11.What is required for IBM System i multi-pathing when connecting to an IBM XIV System?

A.use native multipath drivers supported by VIOS

B.IBM i multi-pathing across two IBM Virtual I/O Servers

C.logical volume connected to VIOS via multiple physical host ports

D.two VIOS partitions provide redundant paths to the same set of LUNs

Answer:C

12.Which XIV System feature helps to decrease total cost of ownership by simplification of the configuration process?

A.ease of creating RAID groups

B.mapping volumes to physical drives

- C.common SDD / SDDPCM for multipathing
- D.easy to use Graphical User Interface (GUI)

Answer:D

13.An administrator is migrating data from legacy storage to an XIV System. What is the behavior of the host systems during this process?

- A.all volumes are transferred in parallel ensuring equal access
- B.the same volumes are seen from both the XIV System and the legacy system
- C.host I/O continues normally as long as the legacy system is not powered off
- D.performance is reduced as the XIV System duplicates 1 MB partitions across all drives

Answer:C

14.Which feature helps keep copies consistent during a re-sync or link failure while remote mirroring?

- A.MPIO
- B.snapshot
- C.thin provisioning
- D.redirect-on-write

Answer:B

15.What is the recommended release of SAN Volume Controller (SVC) firmware when connecting the XIV Storage System to SVC?

- A.4.2.0.5
- B.4.2.1.8
- C.4.3.0.1
- D.4.3.1.4

Answer:D

16.In an XIV System, what reduces the occurrence of double disk failure?

- A.quick rebuild times utilizing all drives
- B.IBM XIV patented disk architecture combined with 4x cooling fans
- C.continuous scrubbing that realigns the blocks for optimum data integrity
- D.SATA drives that are exclusively manufactured to meet IBM XIV requirements

Answer:A

17.An XIV System is regaining redundancy after a drive failure in a 15 module system. From how many drives is data being read?

- A.12
- B.72
- C.168
- D.180

Answer:C

18.An IBM Service Representative replaces a data module in an XIV System. What happens to the data when the new module is installed?

- A.a new data table is created
- B.a new inode table is created
- C.a new matrix table is created
- D.a new distribution table is created

Answer:D

19.A customer wishes to purchase a storage controller for a mixed workload of random I/O and sequential backups. The customer has heard that SATA is good for sequential but has bad performance on random workloads, and is thus reluctant to purchase an XIV System. What should the technical specialist's response be?

- A.The XIV System excels at mixed workloads due to the distribution of partitions.
- B.The XIV System excels at mixed workloads due to the use of redundant Ethernet switches.
- C.The XIV System excels at mixed workloads due to the use of multi-processor interface modules.
- D.The XIV System excels at mixed workloads due to the mixture of fibre channel and iSCSI host connections.

Answer:A

20.In an XIV System, from where do the XIV modules boot?

- A.SSDs in Data Modules
- B.Compact Flash in each module
- C.A hard drive internal to Data Modules
- D.Hidden partition in Disk 1 of each module

Answer:B