

T estpassport問題集



更に上のクオリティ 更に上のサービス

一年で無料進級することに提供する
[Http://www.testpassport.jp](http://www.testpassport.jp)

Exam : **1Z0-020**

Title : Oracle8I:new features for
administrators

Version : DEMO

1. Which two statements are true? (Choose two)

A. Dimensions are based on summaries.

B. The ALTER MATERIALIZED VIEW CONSIDER FRESH statement directs Oracle to consider the materialized view fresh, and therefore eligible for query rewrite in the TRUSTED or STALE_TOLERATED mode only.

C. Summaries without dimensions are used for faster aggregation.

D. Additional query rewrites at a higher level of aggregation can take place if summaries are created at the lowest level of aggregation.

Answer: AD

2. Which two statements are true? (Choose two)

A. Composite partitioning supports local indexes.

B. Composite partitioning supports hash-partitioned global indexes.

C. Composite partitioning supports range-partitioned global indexes

D. Composite partitioning supports composite-partitioned global indexes.

Answer: BD

3. Which tool, integrated with Oracle universal installer, can be used by third-party vendors to install their products as art of an Oracle installation?

A. Oracle Software Packager.

B. Java Run-Time environment.

C. Database migration assistant.

D. Optimal flexible architecture.

Answer: A

4. Which two options are valid for LOBs during their creation? (Choose two)

A. REDO

B. NOREDO

C. LOGGING

D. NOLOGGING

E. RECOVERABLE

F. UNRECOVERABLE

Answer: CD

5. You set the PARALLEL_AUTOMATIC_TUNING initialization parameter to FALSE. What happens? (Choose two)

- A. Parallel execution buffers are allocated from the large pool.
- B. Parallel execution buffers are allocated from the shared pool.
- C. Only tables with a degree of parallelism specified will be scanned in parallel.
- D. A load balancing algorithm will be used to distribute evenly load across nodes in a multi instance PQ environment.

Answer: BC

6. Which parameter would you use to set up archiving to a remote machine?

- A. LOG_ARCHIVE_DEST
- B. LOG_ARCHIVE_DEST_2
- C. LOG_ARCHIVE_REMOTE_DEST
- D. ARCHIVE_REMOTE_DEST

Answer: A

7. Which two factors can influence the time taken for instance recovery? (Choose two)

- A. Size of the redo log buffer.
- B. Value of FAST_START_TO_TARGET
- C. Size of the system tablespace.
- D. Value of RECOVERY_PARALLELISM
- E. The number of archived redo logs that have to be read.
- F. The number of tables stored in the database buffer cache at the moment of failure.

Answer: BD

8. Examine this command:ALTER SYSTEM SET USESTORED_OUTLINE = TRUE; Which outline category will be used?

- A. SYS
- B. OUTLINE
- C. TRUE
- D. DEFAULT

Answer: D

9. Which tablespace stores the segment of a temporary table?

- A. The default tablespace for user SYS.
- B. The temporary tablespace for user SYS.
- C. The default tablespace for the current user.
- D. The temporary tablespace for the current user.

Answer: D

10. What can you see when querying V\$LOGMNR_CONTENTS?

- A. The SQL statement run and the old image.
- B. The SQL statement run, and the new image.
- C. Only the redo generated by the current schema.
- D. The SQL statement run, and the relevant undo SQL statement.
- E. The old image and the new image of the row that was modified.

Answer: E

This document was created with Win2PDF available at <http://www.win2pdf.com>.
The unregistered version of Win2PDF is for evaluation or non-commercial use only.
This page will not be added after purchasing Win2PDF.