Testpassport問題集

更に上のクオリティ　更に上のサービス

一年で無料進級することに提供する

Http://www.testpassport.jp

Exam : **1Z0-147**

Title : Oracle9i program with pl/sql

Version : DEMO

1.What can you do with the DBMS_LOB package?

A.Use the DBMS_LOB.WRITE procedure to write data to a BFILE.

B.Use the DBMS_LOB.BFILENAME function to locate an external BFILE.

C.Use the DBMS_LOB.FILEEXISTS function to find the location of a BFILE.

D.Use the DBMS_LOB.FILECLOSE procedure to close the file being accessed.

Correct:D

2.Examine this procedure: CREATE OR REPLACE PROCEDURE ADD_PLAYER (V_ID IN NUMBER, V_LAST_NAME VARCHAR2) IS BEGIN INSERT INTO PLAYER (ID,LAST_NAME) VALUES (V_ID, V_LAST_NAME); COMMIT; END; This procedure must invoke the UPD_BAT_STAT procedure and pass a parameter. Which statement, when added to the above procedure, will successfully invoke the UPD_BAT_STAT procedure?

A.EXECUTE UPD_BAT_STAT(V_ID);

B.UPD_BAT_STAT(V_ID);

C.RUN UPD_BAT_STAT(V_ID);

D.START UPD_BAT_STAT(V_ID);

Correct:B

3.Which three describe a stored procedure? (Choose three.)

A.A stored procedure is typically written in SQL.

B.By default, a stored procedure executes with the privileges of its owner.

C.A stored procedure has three parts: the specification, the body, and the exception handler part .

D.A stored procedure is stored in the database and can be shared by a number of programs.

E.A stored procedure offers some advantages over a standalone SQL statement, such as programmable functionality and compiled code.

Correct:B D E

4.Examine this package: CREATE OR REPLACE PACKAGE pack_cur IS CURSOR c1 IS SELECT prodid FROM product ORDER BY prodid DESC; PROCEDURE proc1; PROCEDURE proc2; END pack_cur; / CREATE OR REPLACE PACKAGE BODY pack_cur IS v_prodid NUMBER; PROCEDURE proc1 IS BEGIN OPEN c1; LOOP FETCH c1 INTO v_prodid; DBMS_OUTPUT.PUT_LINE('Row is: ' || c1%ROWCOUNT); EXIT WHEN c1%ROWCOUNT >= 3; END LOOP; END proc1; PROCEDURE proc2 IS BEGIN LOOP FETCH c1 INTO v_prodid; DBMS_OUTPUT.PUT_LINE('Row is: ' ||c1%ROWCOUNT); EXIT WHEN c1%ROWCOUNT >= 6; END LOOP; CLOSE c1; END proc2; END pack_cur; / The product table has more than 1000 rows. The SQL*Plus SERVEROUTPUT setting is turned on in your session. The product table has more than 1000 rows. The SQL*Plus SERVEROUTPUT setting is turned on in your session. The product table has more than 1000 rows. The SQL*Plus SERVEROUTPUT setting is turned on in your session. You execute the procedure PROC1 from SQL*Plus with the command: The product table has more than 1000 rows. The SQL*Plus SERVEROUTPUT setting is turned on in your session. You execute the procedure PROC1 from SQL*Plus with the command: EXECUTE pack_cur.proc1 You execute the procedure PROC1 from SQL*Plus with the command: EXECUTE pack_cur.proc1 You execute the procedure PROC1 from SQL*Plus with the command: EXECUTE pack_cur.proc1 What is the output in your session? EXECUTE pack_cur.proc1 What is the output in your session? What is the output in your session? A. ERROR at line 1: What is the output in your session? A. ERROR at line 1: A. ERROR at line 1: B. Row is:

A.ERROR at line 1:

B.Row is:
C.Row is:
D.Row is: Row is:
E.Row is: 1 Row is:
F.Row is: 1 Row is: 2
G.Row is: 1 Row is: 2 Row is: 3
H.Row is: 1 Row is: 2 Row is: 3 Row is: 2 Row is: 3
I.Row is: 4
J.Row is: 4 Row is: 5
K.Row is: 4 Row is: 5 Row is: 6 Row is: 5 Row is: 6

Correct:E F G H

5.Examine this procedure: CREATE OR REPLACE PROCEDURE INSERT_TEAM (V_ID in NUMBER, V_CITY in VARCHAR2 DEFAULT 'AUSTIN', V_NAME in VARCHAR2) IS BEGIN INSERT INTO TEAM (id, city, name) VALUES (v_id, v_city, v_name); COMMIT; END; Which two statements will successfully invoke this procedure in SQL*Plus? (Choose two.)

A.EXECUTE INSERT_TEAM;
B.EXECUTE INSERT_TEAM(3, V_NAME=>'LONGHORNS', V_CITY=>'AUSTIN');
C.EXECUTE INSERT_TEAM(3,'AUSTIN','LONGHORNS');
D.EXECUTE INSERT_TEAM (V_ID := 3, V_NAME := 'LONGHORNS', V_CITY := 'AUSTIN');
E.EXECUTE INSERT_TEAM (3,'LONGHORNS');

Correct:B C

6.You need to create a DML trigger. Which five pieces need to be identified? (Choose five.)

A.table
B.DML event
C.trigger body
D.package body
E.package name
F.trigger name
G.system event
H.trigger timing

Correct:A B C F H

7.This statement fails when executed: CREATE OR REPLACE TRIGGER CALC_TEAM_AVG AFTER INSERT ON PLAYER BEGIN INSERT INTO PLAYER_BAT_STAT (PLAYER_ID, SEASON_YEAR,AT_BATS,HITS) VALUES (:NEW.ID, 1997, 0,0); END; To which type must you convert the trigger to correct the error?

A.row
B.statement
C.ORACLE FORM trigger
D.before

Correct:A

8.Examine this package:

```
CREATE OR REPLACE PACKAGE discounts
IS
  g_id NUMBER := 7839;
  discount_rate NUMBER := 0.00;
  PROCEDURE display_price (p_price NUMBER);
END discounts;
/
CREATE OR REPLACE PACKAGE BODY discounts
IS
  PROCEDURE display_price (p_price NUMBER)
  IS
  BEGIN
    DBMS_OUTPUT.PUT_LINE('Discounted '||
         TO_CHAR(p_price*NVL(discount_rate, 1)));
  END display_price;
  BEGIN
    discount_rate := 0.10;
END discounts;
/
```

A.The value of DISCOUNT_RATE always remains 0.00 in a session.

B.The value of DISCOUNT_RATE is set to 0.10 each time the package is invoked in a session.

C.The value of DISCOUNT_RATE is set to 1.00 each time the procedure DISPLAY_PRICE is invoked.

D.The value of DISCOUNT_RATE is set to 0.10 when the package is invoked for the first time in a session.

Correct:D

9.Examine this code:

```
CREATE OR REPLACE PACKAGE comm_package
IS
  g_comm  NUMBER := 10;
  PROCEDURE reset_comm(p_comm IN NUMBER);
END comm_package;
/

User Jones executes the following code at 9:01am:
EXECUTE comm_package.g_comm := 15

User Smith executes the following code at 9:05am:
EXECUTE comm_package.g_comm := 20
```

A.g_comm has a value of 15 at 9:06am for Smith.

B.g_comm has a value of 15 at 9:06am for Jones.

C.g_comm has a value of 20 at 9:06am for both Jones and Smith.

D.g_comm has a value of 15 at 9:03am for both Jones and Smith.

E.g_comm has a value of 10 at 9:06am for both Jones and Smith.

F.g_comm has a value of 10 at 9:03 for both Jones and Smith.

Correct:B

10.Examine this code:

```
CREATE OR REPLACE FUNCTION gen_email_name
(p_first_name VARCHAR2, p_last_name VARCHAR2, p_id NUMBER)
RETURN VARCHAR2
IS
  v_email_name VARCHAR2(19);
BEGIN
  v_email_name := SUBSTR(p_first_name, 1, 1) ||
                  SUBSTR(p_last_name, 1, 7)  ||
                  '@Oracle.com';
  UPDATE employees
  SET    email = v_email_name
  WHERE  employee_id = p_id;
  RETURN v_email_name;
END;
```

A.DROP gen_email_name;

B.REMOVE gen_email_name;

C.DELETE gen_email_name;

D.TRUNCATE gen_email_name;

E.DROP FUNCTION gen_email_name;

F.ALTER FUNCTION gen_email_name REMOVE;

Correct:E

11.The add_player , upd_player_stat , and upd_pitcher_stat procedures are grouped together in a package. A variable must be shared among only these procedures. Where should you declare this variable?

A.in the package body

B.in a database trigger

C.in the package specification

D.in each procedure's DECLARE section, using the exact same name in each

Correct:A

12.Examine this code:

```
CREATE OR REPLACE TRIGGER secure_emp
BEFORE LOGON ON employees
BEGIN
  IF (TO_CHAR(SYSDATE, 'DY') IN ('SAT', 'SUN')) OR
     (TO_CHAR(SYSDATE, 'HH24:MI')
              NOT BETWEEN '08:00' AND '18:00')
  THEN RAISE_APPLICATION_ERROR (-20500, 'You may
        insert into the EMPLOYEES table only during
        business hours.');
  END IF;
END;
/
```

A.DML trigger

B.INSTEAD OF trigger

C.application trigger

D.system event trigger

E.This is an invalid trigger.

Correct:E

13.What happens during the execute phase with dynamic SQL for INSERT, UPDATE, and DELETE operations?

A.The rows are selected and ordered.

B.The validity of the SQL statement is established.

C.An area of memory is established to process the SQL statement.

D.The SQL statement is run and the number of rows processed is returned.

E.The area of memory established to process the SQL statement is released.

Correct:D

14.Examine this package:

```
CREATE OR REPLACE PACKAGE manage_emps
  IS
    tax_rate CONSTANT NUMBER(5,2) := .28;
    v_id  NUMBER;
    PROCEDURE insert_emp (p_deptno NUMBER, p_sal NUMBER);
    PROCEDURE delete_emp;
    PROCEDURE update_emp;
    FUNCTION calc_tax (p_sal NUMBER)
      RETURN NUMBER;
END manage_emps;
/
CREATE OR REPLACE PACKAGE BODY manage_emps
  IS
    PROCEDURE update_sal
      (p_raise_amt NUMBER)
    IS
    BEGIN
      UPDATE emp
        SET sal = (sal * p_raise_amt) + sal
        WHERE empno = v_id;
     END;
  PROCEDURE insert_emp
    (p_deptno NUMBER, p_sal NUMBER)
    IS
    BEGIN
      INSERT INTO emp(empno, deptno, sal)
        VALUES(v_id, p_deptno, p_sal);
    END insert_emp;
  PROCEDURE delete_emp
    IS
    BEGIN
     DELETE FROM emp
        WHERE empno = v_id;
    END delete_emp;
  PROCEDURE update_emp
    IS
      v_sal NUMBER(10, 2);
      v_raise NUMBER(10, 2);
```

A.one

B.two

C.three

D.four
E.five
F.none
Correct:F
15.You need to remove the database trigger BUSINESS_HOUR. Which command do you use to remove the trigger in the SQL*Plus environment?
A.DROP TRIGGER business_hour;
B.DELETE TRIGGER business_hour;
C.REMOVE TRIGGER business_hour;
D.ALTER TRIGGER business_hour REMOVE;
E.DELETE FROM USER_TRIGGERS WHERE TRIGGER_NAME = 'BUSINESS_HOUR';
Correct:A
16.Which three are valid ways to minimize dependency failure? (Choose three.)
A.querying with the SELECT * notation
B.declaring variables with the %TYPE attribute
C.specifying schema names when referencing objects
D.declaring records by using the %ROWTYPE attribute
E.specifying package.procedure notation while executing procedures
Correct:A B D
17.Procedure PROCESS_EMP references the table EMP . Procedure UPDATE_EMP updates rows of table EMP through procedure PROCESS_EMP . There is a remote procedure QUERY_EMP that queries the EMP table through the local procedure PROCESS_EMP . The dependency mode is set to TIMESTAMP in this session. Which two statements are true? (Choose two.)
A.If the signature of procedure PROCESS_EMP is modified and successfully recompiles, the EMP table is invalidated.
B.If internal logic of procedure PROCESS_EMP is modified and successfully recompiles, UPDATE_EMP gets invalidated and will recompile when invoked for the first time.
C.If the signature of procedure PROCESS_EMP is modified and successfully recompiles, UPDATE_EMP gets invalidated and will recompile when invoked for the first time.
D.If internal logic of procedure PROCESS_EMP is modified and successfully recompiles, QUERY_EMP gets invalidated and will recompile when invoked for the first time.
E.If internal logic of procedure PROCESS_EMP is modified and successfully recompiles, QUERY_EMP gets invalidated and will recompile when invoked for the second time.
Correct:B E
18.You have a table with the following definition: CREATE TABLE long_tab (id NUMBER, long_col LONG); You need to convert the LONG_COL column from a LONG data type to a LOB data type. Which statement accomplishes this task?
A.ALTER TABLE long_tab MODIFY (LONG_COL CLOB);
B.EXECUTE dbms_lob.migrate(long_tab, long_col, clob)
C.EXECUTE dbms_manage.lob.migrate(long_tab, long_col, clob)
D.EXECUTE utl_lob.migrate(long_tab, long_col, clob)
E.EXECUTE utl_manage_lob.migrate(long_tab, long_col, clob)
Correct:A
19.Examine this code:

```
CREATE OR REPLACE FUNCTION gen_email_name
(p_first VARCHAR2, p_last VARCHAR2)
RETURN VARCHAR2
IS
  v_email_name VARCHAR2(19);
BEGIN
  v_email_name := SUBSTR(p_first, 1, 1) ||
                  SUBSTR(p_last, 1, 7)  ||
                  '@Oracle.com';
  RETURN v_email_name;
END;
/
```

A.This function is invalid.
B.This function can be used against any table.
C.This function cannot be used in a SELECT statement.
D.This function can be used only if the two parameters passed in are not null values.
E.This function will generate a string based on 2 character values passed into the function.
F.This function can be used only on tables where there is a p_first and p_last column.

Correct:B E

20.All users currently have the INSERT privilege on the PLAYER table. You only want your users to insert into this table using the ADD_PLAYER procedure. Which two actions must you take? (Choose two.)

A.GRANT SELECT ON ADD_PLAYER TO PUBLIC;
B.GRANT EXECUTE ON ADD_PLAYER TO PUBLIC;
C.GRANT INSERT ON PLAYER TO PUBLIC;
D.GRANT EXECUTE,INSERT ON ADD_PLAYER TO PUBLIC;
E.REVOKE INSERT ON PLAYER FROM PUBLIC;

Correct:B E