

# T estpassport問題集



---

更に上のクオリティ      更に上のサービス

一年で無料進級することに提供する  
[Http://www.testpassport.jp](http://www.testpassport.jp)

**Exam** : **1Z0-206**

**Title** : Oracle E-Business Suite  
R12: System Administration

**Version** : DEMO

1.Which three statements are true about Grants in Oracle Applications? (Choose three.)

- A. Grants that deal with business objects are part of Data Security.
- B. Grants define the access given to users through responsibilities.
- C. Grants that deal with business objects are part of Function Security.
- D. Grant is defined as an approval to perform an operation on an object.
- E. Grants that deal with a set of an application's functionality are part of Data Security.
- F. Grants that deal with a set of an application's functionality are part of FunctionSecurity

**Answer:** A,D,F

2.Which three statements are true about the background Workflow Engines that are set up as a required component while setting up Oracle Workflow? (Choose three.)

- A. It handles stuck processes.
- B. It handles deferred activities.
- C. It handles timed outnotifications.
- D. It cleans up the WF\_CONTROLqueue.
- E. It handles listeners forlocal outbound agents.

**Answer:** A,B,C

3.Which three statements are true about the Delegated Administration in R12 Oracle Applications? (Choose three.)

- A. It helps to separate Navigation menus and security functions.
- B. It differs from Role Based Access Control (RBAC) system on the privilege model.
- C. It determines the users, roles, and information that local administrators can manage.
- D. It provides organizations with the ability to assign the required access rights forgroupsand user accounts.

E. It could be used to assign selected administrative tasks to local administrators after the roles and role inheritance have been configured.

**Answer:** C,D,E

4. One of the integration architects is attempting to standardize the path locations for inbound and outbound feeds for the applications.

Currently they are providing the full path name of the file on the file system when they submit the request to load the feeds. They would like to soft code the path of the file name by server to shorten the parameter entry and reduce key errors when submitting the interfaces.

Currently all of the feeds, both inbound and outbound, are being kept in a single directory. They would like to separate the files into directories by application, and have a separate inbound/outbound feed directory.

This is a global implementation with middle-tier services strategically placed around the world. North American services are all from the data center in New York. The European services are being provided from the European data center in England, and the Asia-Pacific services are hosted in a data center in India.

The architect's plan is to create two profile options: one for inbound path and one for outbound path. All the `utl_file` directories used by the integration programs would be standardized for use. His plan is to set them at the application and server level to soft code the directory path for all of the integration points.

He would also like to provide users with the ability to change the path for their user, or for a development-centric responsibility only to support individual testing efforts on non-production servers.

He would also prefer to prevent anyone from setting the value of the profile option at the operating unit level. Identify the flaw in the architect's proposed solution.

- A. Interfaces do not run under a specific responsibility.
- B. Profile options cannot be controlled by the operating unit.
- C. A profile option can only be assigned to one hierarchy type.
- D. The value of the profile option cannot be controlled by the server.
- E. The interfaces would not be able to read the value of the profile option at the server level.

**Answer:** C

5.Which two steps are included in the procedure for defining a value set? (Choose two.)

- A. defining a list of values if appropriate
- B. using existing value sets when possible
- C. defining flexfield segments and structures
- D. defining security and cross-validation rules

**Answer:** A,C

6.Your company is using Oracle Application Manager (OAM).

Your manager asked you to set up an alert, which should trigger whenever "Forms Runaway Processes" on the system.

Which are the three thresholds that you need to configure, so that whenever a form session exceeds these thresholds, the system would post an alert? (Choose three.)

- A. maximum duration
- B. maximumCPU percent
- C. maximum memory size
- D. maximum number of users
- E. maximum number of transactions
- F. maximum number of form sessions

**Answer:** A,B,C

7.The Receivable Super User responsibility is based on the Receivable Super menu. A custom function "Receivables Summary" is added to the Receivable Super menu.

Assume that if the user is in the Receivable Super User responsibility, the user has to that possibility to Receivable Super User. When is the function available to the user?

- A. Immediatelyafterthe systemcache is refreshed
- B. Immediatelyafter savingthe function in the menu window

- C. Immediately after entering the function row in the menu window
- D. Immediately after the successful completion of the compile security program

**Answer: D**

8. Identify the profile options belonging to the Flexfields, profile category that controls the behavior of Flexfield processing. (Choose all that apply.)

- A. Activate
- B. Autoskip
- C. PositiveFormat
- D. ShorthandEntry
- E. Validate on Server
- F. LOV WarningLimit

**Answer: D,E**

9. Which statement most accurately reflects how the list of concurrent programs displayed in standard report submission is compiled?

- A. all concurrent programs associated with the application that is associated to the current responsibility
- B. all concurrent programs associated with the report security group that is associated with your current responsibility
- C. all concurrent programs that are associated with the current responsibility and which are not overridden by seeing attributes
- D. all concurrent programs associated with the current responsibility unless they are overridden by a parameter on the function that opened standard report submission

**Answer: C**

10. Which three statements are true types of value sets? (Choose three.)

- A. Dependent value set can be associated with any type of value set.
- B. A None value set performs only minimal checking of data type and length.
- C. A Dependent value set can be associated only with an Independent value set.
- D. An Independent value set can be associated only with a Dependent value set.
- E. An Independent value set performs basic checking but also checks a value that is entered against the list of approved values.

**Answer:** B,C,E