

# T estpassport問題集



---

更に上のクオリティ      更に上のサービス

一年で無料進級することに提供する  
[Http://www.testpassport.jp](http://www.testpassport.jp)

**Exam** : **200-125**

**Title** : CCNA Cisco Certified  
Network Associate CCNA  
(v3.0)

**Version** : DEMO

1.Which technology supports the stateless assignment of IPv6 addresses? (Choose two.)

- A. DNS
- B. DHCPv6
- C. DHCP
- D. autoconfiguration

**Answer: BD**

2.After you configure the Loopback0 interface, which command can you enter to verify the status of the interface and determine whether fast switching is enabled?

- A. Router#show ip interface loopback 0
- B. Router#show run
- C. Router#show interface loopback 0
- D. Router#show ip interface brief

**Answer: A**

3.What are two requirements for an HSRP group? (Choose two.)

- A. exactly one active router
- B. one or more standby routers
- C. one or more backup virtual routers
- D. exactly one standby active router
- E. exactly one backup virtual router

**Answer: AD**

4.Which command sequence can you enter to create VLAN 20 and assign it to an interface on a switch?

- A. Switch (config)#vlan 20  
Switch (config)#Interface gig x/y  
Switch (config-if)#switchport access vlan 20
- B. Switch (config)#Interface gig x/y  
Switch (config-if)#vlan 20  
Switch (config-vlan)#switchport access vlan 20
- C. Switch (config)#vlan 20  
Switch (config)#Interface vlan 20  
Switch (config-if)#switchport trunk native vlan 20
- D. Switch (config)#vlan 20  
Switch (config)#Interface vlan 20  
Switch (config-if)#switchport access vlan 20
- E. Switch (config)#vlan 20  
Switch (config)#Interface vlan 20  
Switch (config-if)#switchport trunk allowed vlan 20

**Answer: A**

5.Which three commands can you use to set a router boot image? (Choose three.)

- A. Router(config)# boot system flash c4500-p-mz.121-20.bin
- B. Router(config)# boot system tftp c7300-js-mz.122-33.SB8a.bin

C. Router(config)#boot system rom c7301-advipservicesk9-mz.124-24.T4.bin

D. Router> boot flash:c180x-adventerprisek9-mz-124-6T.bin

E. Router(config)#boot flash:c180x-adventerprisek9-mz-124-6T.bin

F. Router(config)#boot bootldr bootflash:c4500-jk9s-mz.122-23f.bin

**Answer: ABC**