

T estpassport問題集



更に上のクオリティ 更に上のサービス

一年で無料進級することに提供する
[Http://www.testpassport.jp](http://www.testpassport.jp)

Exam : **312-50v10**

Title : Certified Ethical Hacker
Exam (C|EH v10)

Version : DEMO

1. Steve, a scientist who works in a governmental security agency, developed a technological solution to identify people based on walking patterns and implemented this approach to a physical control access. A camera captures people walking and identifies the individuals using Steve's approach. After that, people must approximate their RFID badges. Both the identifications are required to open the door. In this case, we can say:

- A. Although the approach has two phases, it actually implements just one authentication factor
- B. The solution implements the two authentication factors: physical object and physical characteristic
- C. The solution will have a high level of false positives
- D. Biological motion cannot be used to identify people

Answer: B

2. Which Nmap option would you use if you were not concerned about being detected and wanted to perform a very fast scan?

- A. -T0
- B. -T5
- C. -O
- D. -A

Answer: B

3. Which of the following cryptography attack is an understatement for the extraction of cryptographic secrets (e.g. the password to an encrypted file) from a person by a coercion or torture?

- A. Chosen-Cipher text Attack
- B. Ciphertext-only Attack
- C. Timing Attack
- D. Rubber Hose Attack

Answer: D

4. Which of the following options represents a conceptual characteristic of an anomaly-based IDS over a signature-based IDS?

- A. Produces less false positives
- B. Can identify unknown attacks
- C. Requires vendor updates for a new threat
- D. Cannot deal with encrypted network traffic

Answer: B

5. Based on the below log, which of the following sentences are true?

Mar 1, 2016, 7:33:28 AM 10.240.250.23 – 54373 10.249.253.15 – 22 tcp_ip

- A. SSH communications are encrypted it's impossible to know who is the client or the server
- B. Application is FTP and 10.240.250.23 is the client and 10.249.253.15 is the server
- C. Application is SSH and 10.240.250.23 is the client and 10.249.253.15 is the server
- D. Application is SSH and 10.240.250.23 is the server and 10.249.253.15 is the server

Answer: C