

# T estpassport問題集



---

更に上のクオリティ      更に上のサービス

一年で無料進級することに提供する  
[Http://www.testpassport.jp](http://www.testpassport.jp)

**Exam : 640-792**

**Title :** Supporting Cisco  
TelePresence System  
Devices v1.0 (TPTECH)

**Version :** Demo

1.Which port is indicated on the right Secondary Codec for the CTS-3210?

- A. Right Display
- B. Right Camera
- C. Center Display
- D. Left Display

**Answer: B**

2.Which port do you conned to on the Primary Codec in order to establish an Ethernet connection between your laptop and the Cisco TelePresence 3000 equipment.?

- A. Video port
- B. Network port
- C. IP Phone port
- D. Secondary Camera port

**Answer: B**

3.Which size and type of tool is required to loosen the screws that allow rotational adjustment of the CTS-3010 cameras?

- A. #1 Phillips screwdriver
- B. 5.0 mm Allen wrench
- C. #3 Phillips screwdriver
- D. 3.0 mm Allen wrench

**Answer: D**

4.Which four functions does Cisco TelePresence rely on Cisco Unified Communications Manager for? (Choose four)

- A. Configurations
- B. Software upgrades
- C. Management
- D. Call processing
- E. Scheduling meetings
- F. Microphone calibration


**Answer: A,C,D,E**

5.Which three of the following components are included on the Cisco TelePresence 3210? (Choose three.)


- A. One boardroom-style table with a second row
- B. One boardroom-style table
- C. One 40" external display
- D. Nine table microphones
- E. Four LED light fixtures

**Answer: A,C,D**

6.DRAG DROP



**Answer:**



7. Which three of the following are benefits of Cisco TelePresence Manager? (Choose three)

- A. Bulk software upgrades of endpoints
- B. Calendaring integration and management
- C. One-Button-to-Push meeting access
- D. Allow for content sharing
- E. Concierge services

**Answer:** B,C,D

8. Which two hardware components are optional for the Cisco TelePresence 1000? (Choose two)

- A. One Cisco Unified IP Phone 7975G
- B. One external display
- C. One high-definition camera
- D. One Auxiliary Control Unit

**Answer:** A,D

9. Which port is indicated on the Auxiliary Control Unit for the CTS-1100 and 1300?



- A. Auxiliary Collaboration Display
- B. Serial Control for Projector
- C. Lights
- D. Serial Control for Dimmer Box

**Answer: B**

#### 10.DRAG DROP

Click and drag the Cisco TelePresence model on the left to the number of participants the unit is designed for on the right:

|          |                                                      |
|----------|------------------------------------------------------|
| CTS-500  | 2 participants in a multipurpose room                |
| CTS-1100 | Up to 18 participants in dedicated TelePresence room |
| CTS-1300 | 1-2 participants in a home/executive Office          |
| CTS-3010 | 6 participants in a multipurpose room                |
| CTS-3210 | 6 participants in a dedicated TelePresence room      |

**Answer:**

Click and drag the Cisco TelePresence model on the left to the number of participants the unit is designed for on the right:

|          |          |
|----------|----------|
| CTS-500  | CTS-1100 |
| CTS-1100 | CTS-3210 |
| CTS-1300 | CTS-500  |
| CTS-3010 | CTS-1300 |
| CTS-3210 | CTS-3010 |