TESTPASSPORT

練 習 問 題



高 品 質 な 学 習 リ ソ ー ス

https://www.testpassport.jp

1年間無料アップデート

Exam : **7141X**

Title : Avaya Equinox™ Solution with Avaya Aura® Collaboration Applications Integration Exam

Version : DEMO

1.Which service is delivered by Avaya Aura Device Services? (AADS)
A. AADS delivers Audio-Recording capabilities to Equinox Clients
B. AADS delivers automated user-tailored, dynamic configuration discovery, Single Sign-on and unified contacts experience
C. AADS delivers Video-Recording capabilities to Equinox Clients
D. AADS delivers automated user-tailored, multimedia Messaging capabilities to Equinox Clients and one-X® Endpoints
Answer: B

2.Which Database service is used by Avaya Aura Device Services (AADS)?
A. AADS uses a proprietary embedded database server inside AADS.
B. AADS uses a separate PostgreSQL Database Server for data storage
C. AADS uses an embedded instance of the standard Cassandra database
D. AADS uses the Cassandra Database service embedded in the Session Manager
Answer: C

3.The Avaya Aura® Web Gateway (AAWG) needs to be configured to use an Avaya Aura® Media Server (AAMS).
How does the Avaya Aura® Web Gateway (AAWG) get associated to a particular Avaya Aura® Media Server (AAMS)?
A. The Media Server FQDN(s) is/are dynamically discovered by Avaya Aura® Web Gateway (AAWG) using DNS and Avaya Aura® Device Services (AADS) Dynamic Discovery process
B. The Media Server FQDN(s) is/are statically configured in under Media Settings in Avaya Aura® Web Gateway (AAWG) web GUI
C. The Media Server is configured to be in a Location using the SMGR web GUI and then that location is selected using the Avaya Aura® Web Gateway (AAWG) web GU
D. The Media Server IP Address(es) is/are statically configured under Media Settings in Avaya Aura® Web Gateway (AAWG) web GUI
Answer: C

4.For an Avaya Equinox™ Management Geo-redundancy deployment, which three servers are required? (Choose three.)
A. Backup Server
B. Slave Server
C. Master Server
D. Active Server
E. Standby Server
Answer: ADE

5.An Avaya Equinox™ Streaming and Recording (AESR) deployment can scale to a maximum of how many users?
A. 100,000
B. 16,000
C. 10,000

D. 5000
Answer: A