

# TESTPASSPORT

## 練習問題

---



---

高品質な学習リソース

---

<https://www.testpassport.jp>

1年間無料アップデート

**Exam : CPA-21-02**

**Title : CPA – C++ Certified  
Associate Programmer**

**Version : DEMO**

1.What will the variable "age" be in class B?

```
class A {  
    int x;  
protected:  
    int y;  
public:  
    int age;  
    A () {age=5;};  
};  
class B: public A {  
    string name;  
public:  
    B () {name="Bob";};  
    void Print () {  
        cout << name << age;  
    }  
};
```

- A. public
- B. private
- C. protected
- D. None of these

**Answer: A**

2.What happens when you attempt to compile and run the following code?

```
#include <iostream>  
#include <string>  
using namespace std;  
class complex{  
    double re, im;  
public:  
    complex() : re(1),im(0.4) {}  
    complex operator?(complex &t);  
    void Print() { cout << re << " " << im; }  
};  
complex complex::operator? (complex &t){  
    complex temp;  
    temp.re = this?>re ? t.re;  
    temp.im = this?>im ? t.im;  
    return temp;  
}  
int main(){  
    complex c1, c2, c3;  
    c3 = c1 ? c2;  
    c3.Print();
```

- ```
}
```
- A. It prints: 1 0.4
  - B. It prints: 2 0.8
  - C. It prints: 0 0
  - D. It prints: 1 0.8

**Answer: C**

3.What happens when you attempt to compile and run the following code?

```
#include <iostream>
using namespace std;
class complex{
    double re;
    double im;
public:
    complex() : re(0),im(0) {}
    complex(double x) { re=x,im=x;};
    complex(double x,double y) { re=x,im=y;}
void print() { cout << re << " " << im;}
};
int main(){
    complex c1;
    c1 = 3.0;
    c1.print();
    return 0;
}
```

- A. It prints: 0 0
- B. It prints: 1 1
- C. It prints: 3 3
- D. Compilation error

**Answer: C**

4.What happens when you attempt to compile and run the following code?

```
#include <iostream>
using namespace std;
void fun(int);
int main()
{
    int a=0;
    fun(a);
    return 0;
}
void fun(int n)
{
    if(n < 2)
```

```
{  
    fun(++n);  
    cout << n;  
}
```

- A. It prints: 21
- B. It prints: 012
- C. It prints: 0
- D. None of these

**Answer: A**

5.What happens when you attempt to compile and run the following code?

```
#include <iostream>  
using namespace std;  
int s(int n);  
int main()  
{  
    int a;  
    a = 3;  
    cout << s(a);  
    return 0;  
}  
int s(int n)  
{  
    if(n == 0) return 1;  
    return s(n?1)*n;  
}
```

- A. It prints: 4
- B. It prints: 6
- C. It prints: 3
- D. It prints: 0

**Answer: B**